





PRODUCT NUMBER SEE SHEET 2




spec ref	*	dr	Peng-Bing Fu	2012/10/10	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Peng-Bing Fu	2013/03/25			ecn no	-	rel level	Released
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	-	-						
surface	linear	appr	Pei-Ming Zheng	2013/03/25	product family	PwrBlade+	rel level	Released		
ASME Y14.5	angular	0°	±0.5	±0.25	±0.10	±2°	www.fci.com	cat. no.	11HDP + 24S	RA STB HEADER
dwg no	10106132-B006003		rev	A		Product - Customer Drw		sheet 1 of 3		



Copyright FCI.

PRODUCT NO.	ROWS	HIGH POWER											SIGNAL							
		E1	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	1	2	3	4	5	6	E2
10106132-B006003LF	DCBA	H1	H1	H1	H1	H1	H1	H1	H1	H1	H1	H1	U	U	U	U	U	U	U	U
													T	T	T	T	T	T	T	T
													S	S	S	S	S	S	S	S
													E	R	R	R	R	R	R	R



2X Ø 3.05 ± 0.13
NOTE 6
⊕ Ø 0.10 (M) V U

Ø 1.02 ± 0.07 TYP
NOTE 6, 7
⊕ Ø 0.10 (M) V U

CODE	DESCRIPTION
E	MLBF SIGNAL CONTACT, ROW A (3.43)
H1	STD HIGH POWER CONTACT (3.43)
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Peng-Bing Fu	2012/10/10	projection	MM	size	A3	scale	3:2
eng	Peng-Bing Fu	2013/03/25			ecn no		-	
chr	-	-			rel level		Released	
appr	Pei-Ming Zheng	2013/03/25	product family		PwrBlade+			

	11HDP + 24S		dwg no 10106132-B006003	rev A
	RA STB HEADER			
www.fci.com	cat. no.	Product - Customer Drw	sheet 2 of 3	






Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Peng-Bing Fu	2012/10/10	projection 	MM 	size	A3	scale	3:2
eng	Peng-Bing Fu	2013/03/25			ecn no	-		
chr	-	-			rel level	Released		
appr	Pei-Ming Zheng	2013/03/25	product family	PwrBlade+				
		title 11HDP + 24S RA STB HEADER		dwg no 10106132-B006003	rev A			
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3			