

FL CAT6 PATCH 12,5

Order No.: 2891369

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2891369>

Patch cable, CAT6, pre-assembled, 12.5 m

Commercial data

| | |
|--------------------------|--|
| GTIN (EAN) |  |
| Note | Made-to-order |
| sales group | K009 |
| Pack | 5 pcs. |
| Customs tariff | 85444210 |
| Catalog page information | Page 203 (AX-2009) |

Product notesWEEE/RoHS-compliant since:
01/01/2008

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**External sheath**

| | |
|------------------------|--------|
| Outer sheath, material | LSFROH |
| External diameter | 5.5 mm |

Single wire

| | |
|-----------------------------|--------------|
| Individual wires per module | 8 |
| Single wire, material | Cu litz wire |

| | |
|---|----------------------|
| Single wire, cross section | 0.14 mm ² |
| Mechanical properties | |
| Smallest bending radius, fixed installation | 30 mm |
| Ambient temperature (operation) | -10 °C ... 60 °C |
| General data | |
| Nominal voltage U _N | 150 V _{rms} |

Accessories

| Item | Designation | Description |
|----------------|--------------------|---------------------------------------|
| General | | |
| 2891194 | FL PATCH CCODE BK | Color marking for patch cable, black |
| 2891495 | FL PATCH CCODE BN | Color marking for patch cable, brown |
| 2891291 | FL PATCH CCODE BU | Color marking for patch cable, blue |
| 2891796 | FL PATCH CCODE GN | Color marking for patch cable, green |
| 2891699 | FL PATCH CCODE GY | Color marking for patch cable, gray |
| 2891893 | FL PATCH CCODE RD | Color marking for patch cable, red |
| 2891990 | FL PATCH CCODE VT | Color marking for patch cable, purple |
| 2891592 | FL PATCH CCODE YE | Color marking for patch cable, yellow |
| 2891424 | FL PATCH GUARD | Lockable security element |
| 2891246 | FL PATCH SAFE CLIP | Security element for FL patch cable |

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;