

**ZFKDSA 1,5-W-7,62**

Order No.: 1706730

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1706730>

PC terminal block, Nominal current: 16 A, Nom. voltage: 250 V,  
Pitch: 7.62 mm, Number of positions: 1, Type of connection: Spring-  
cage connection, Assembly: Soldering, Conductor/PCB connection  
direction: 45 °, Color: green

Commercial data	
EAN	4017918122553
Pack	50 pcs.
Customs tariff	85369010
Weight/Piece	0.0018 KG
Catalog page information	Page 99 (CC-2009)

## Product notes

WEEE/RoHS-compliant since:  
01/01/2003



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Certificates / Approvals**

Certification

CCA, CSA, KEMA

**CSA**

Nominal voltage $U_N$	300 V
Nominal current $I_N$	10 A
AWG/kcmil	28-12

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;